

EC FERTILISERS **Linea Microsol**

SOLID MIXTURE OF MICRO-NUTRIENT BORON (B), COPPER (Cu), MANGANESE (Mn), MOLYBDENUM (Mo) and ZINC (Zn)

Microsol 650

ANALYSIS

Boron (B) water soluble	2,5 %
Copper (Cu) water soluble	0,5 %
Manganese (Mn) water soluble.....	15 %
Molybdenum (Mo) water soluble.....	0,72 %
Zinc (Zn) water soluble.....	7 %

Microsol 680

ANALYSIS

Boron (B) water soluble.....	2,35 %
Copper (Cu) water soluble.....	0,95 %
Manganese (Mn) water soluble.....	16,1 %
Molybdenum (Mo) water soluble.....	0,70 %
Zinc (Zn) water soluble.....	4,95 %

Microsol 940

ANALYSIS

Boron (B) water soluble.....	2,05 %
Copper (Cu) water soluble.....	0,95 %
Manganese (Mn) water soluble.....	17,5 %
Molybdenum (Mo) water soluble.....	0,76 %
Zinc (Zn) water soluble.....	5,7 %

CHARACTERISTICS AND NUTRITIONAL TARGETS

Water soluble powder formulations based on micro nutrients for foliar and fertigation system applications. Prompt assimilation by both leaves and roots. Prevents and cures chlorosis due to micro nutrient deficiencies especially for manganese and zinc. Enriched with EDTA and citric acid to enhance micro nutrient uptake.

METHODS OF APPLICATION AND DOSAGES

Fruit trees: by foliar application, 2-3 applications at first symptoms of micro nutrient deficiencies (manganese and zinc) with a dosage of 1,5-2 kg/ha

Horticultural crops: by foliar application during the whole cycle. 3-4 applications at first symptoms of micro nutrient deficiencies with a dosage of 100-150 g/ 100 litres of water

It is advisable to use 500-1000 lt of water per hectare to optimize product distribution but the product can also be used with higher concentrations.

Microsol 650 can be applied by fertigation system on strawberries and small fruits by adding 650 gr. of product into the sulphate tank, guaranteeing the distribution of:

Boric acid 17 % B gr. 93; Copper sulphate 25 % Cu gr. 12; Manganese sulphate 32 % Mn gr. 300; Sodium molybdate 39 % Mo gr. 12; Zinc sulphate 34 % Zn gr. 120; Adjuvant citric acid and EDTA gr. 113.

PACKING: kg 1 – kg 5 – kg 25

Microsol 680 can be applied by fertigation system on strawberries and small fruits, by adding 680 gr. of product into the sulphate tank, guaranteeing the distribution of:

Boric acid 17 % B gr. 95; Copper sulphate 25 % Cu gr. 19 Manganese sulphate 32 % Mn gr. 343; Sodium molybdate 39 % Mo gr. 12; Zinc sulphate 34 % Zn gr. 96; ; Adjuvant citric acid and EDTA gr. 113.

PACKING : kg 1 – kg 5 – kg 25

Microsol 940 can be applied by fertigation system on strawberries and small fruits by adding 940 gr. of product into the sulphate tank, guaranteeing the distribution of:

Boric acid 17 % B gr. 114; Copper sulphate 25 % Cu gr. 25; Manganese sulphate 32 % Mn gr. 515; Sodium molybdate 39 % Mo gr. 18; Zinc sulphate 34 % Zn gr. 153; Adjuvant citric acid and EDTA gr. 113.

PACKING: kg 1 – kg 5 – kg 25



Special fertilisers

BioKimia International S.r.l. • Via San Carlo 12/4

40023 Castel Guelfo di Bologna (BO) Italy • Tel. e Fax +39 0542 670654 • biokimia@biokimia.it • www.biokimia.it